Index to Volume 28

Author Index

Volume 28

A

Addy CL: *see* Cuffe SP.
Albizu C: *see* Alegría M.
Alegría M, McGuire T, Vera M, Canino G, Albizu C, Marín H, Matías L: Does Managed Mental Health Care Reallocate Resources to Those with Greater Need for Services?, 28(4): article 6.
Alexander JA: *see* Lemak CH.
Anderson RL, Lyons JS: Needs-Based Planning for Persons with Serious Mental Illness Residing in Intermediate Care Facilities, 28(1): 104–110.
Argeriou M: *see* McCarty D.

B

Banks S: *see* Cox JF.
Banks SM, Pandiani JA, Bramley J: Approaches to Risk-Adjusting Outcome Measures Applied to Criminal Justice Involvement after Community Service, 28(3): 235–246.
Barreira PJ: *see* Fisher WH.
Beck CK: *see* Chumbler NR.
Beigel A: *see* Hendryx MS.
Bellamy CD: *see* Mowbray CT.
Bickman L: *see* Lambert EW.
Boaz TL: *see* Dow MG.
Booth BM: *see* Chumbler NR; Kramer TL.
Bovasso G: The Long-Term Treatment Outcomes of Depression and Anxiety Comorbid with Substance Abuse, 28(1): 42–57.
Bramley J: *see* Banks SM.
Breda CS: The Mental Health Orientation of Juvenile Courts, 28(1): 89–95.

C

Calhoun SL: *see* Mayes SD.
Canino G: *see* Alegría M.
Chen RS, Rosenheck R: Using a Computerized Patient Database to Evaluate Guideline Adherence and Measure Patterns of Care for Major Depression, 28(4): 466–474.
Chow, JC-C, Snowden LR, McConnell W: A Confirmatory Factor Analysis of the BASIS-32 in Racial and Ethnic Samples, 28(4): 400–411.
Chumbler NR, Cody M, Booth BM, Beck CK: Rural-Urban Differences in Service Use for Memory- Related Problems in Older Adults, 28(2): 212–221.
Clarridge BR: *see* Eisen SV.
Cleary PD: *see* Eisen SV.
Cochrane J: *see* Durbin J.
Cody M: *see* Chumbler NR.
Cox JF, Morschauser PC, Banks S, Stone JL: A Five-Year Population Study of Persons Involved in the Mental Health and Local Correctional Systems: Implications for Service Planning, 28(2): 177–187.
Cradock J, Young AS, Sullivan G: The Accuracy of Medical Record Documentation in Schizophrenia, 28(4): 456–465.
Cuffe SP, Waller JL, Addy CL, McKeown RE, Jackson KL, Moloo J, Garrison CZ: A Longitudinal Study of Adolescent Mental Health Service Use, 28(1): 1–11.

D

DeLiberty RN, Newman FL, Ward EO: Risk Adjustment in the Hoosier Assurance Plan: Impact on Providers, 28(3): 301–318.
Denmead G: *see* McCarty D.
Dilonardo J: *see* McCarty D.
Doucette A: *see* Hendryx MS; Lambert EW.
Dow MG, Boaz TL, Thornton D: Risk Adjustment of Florida Mental Health Outcomes Data: Concepts, Methods, and Results, 28(3): 258–272.
Durbin J, Cochrane J, Goering P, Macfarlane D: Needs-Based Planning: Evaluation of a Level-of-Care Planning Model, 28(1): 67–80.

E

Eckert A: *see* Linhorst DM.
Eisen SV, Shaul JA, Leff HS, Stringfellow V, Clarridge BR, Cleary PD: Toward a National Consumer Survey: Evaluation of the CABHS and MHSIP Instruments, 28(3): 347–369.
Elze D: *see* Johnson SD; Stiffman AR.
Essock S: *see* Rosenheck R.
Evans RB: *see* Kramer TL.

F

Fisher WH, Barreira PJ, Lincoln AK, Simon LJ, White AW, Roy-Bujnowski K, Sudders M: Insurance Status and Length of Stay for Involuntarily Hospitalized Patients, 28(3): 334–346.
Fortney S: *see* Sullivan G.
Freeborn DK: *see* Polen MR.
Frisman L: *see* Rosenheck R.

G

Garrison CZ: *see* Cuffe SP.
Goering P: *see* Durbin J.
Green CA: *see* Polen MR.

H

Hadley-Ives E: *see* Johnson SD; Stiffman AR.
Hamilton G: *see* Linhorst DM.
Hendryx MS, Beigel A, Doucette A: Introduction: Risk-Adjustment Issues in Mental Health Services, 28(3): 225–234.
Hendryx MS, Teague GB: Comparing Alternative Risk-Adjustment Models, 28(3): 247–257.
Holder HD: Prevention Research and Its Actual Application to Health Services, 28(2): 118–129.
Horvath VE: *see* Stiffman AR.
Huebner RB: *see* McCarty D.
Hu J: *see* Mayes SD.

J

Jackson KL: *see* Cuffe SP.
Johnson SD, Stiffman A, Hadley-Ives E, Elze D: An Analysis of Stressors and Co-Morbid Mental Health Problems That Contribute to Youths' Paths to Substance-Specific Services, 28(4): 412–426.

K

Koegel P: *see* Sullivan G.
Kramer TL, Evans RB, Landes R, Mancino M, Booth BM, Smith GR: Comparing Outcomes of Routine Care for Depression: The Dilemma of Case-Mix Adjustment, 28(3): 287–300.
Krecko VF: *see* Mayes SD.

L

Lambert EW, Doucette A, Bickman L: Measuring Mental Health Outcomes with Pre-Post Designs, 28(3): 273–286.
Landes R: *see* Kramer TL.
Leff HS: *see* Eisen SV.
Lemak CH, Alexander JA: Managed Care and Outpatient Substance Abuse Treatment Intensity, 28(1): 12–29.
Lennox RD, Mansfield AJ: A Latent Variable Model of Evidence-Based Quality Improvement for Substance Abuse Treatment, 28(2): 164–176.
Levin BL, Miller B: Appreciation to Reviewers, 28(4): 375–377.
Lincoln AK: *see* Fisher WH.
Linhorst DM, Eckert A, Hamilton G, Young E: The Involvement of a Consumer Council in Organizational Decision Making in a Public Psychiatric Hospital, 28(4): 427–438.
Lombardi E: *see* Watkins KE.
Lynch F: *see* Polen MR.
Lynn CJ: *see* McKay MM.
Lyons JS: *see* Anderson RL.

M

Macfarlane D: *see* Durbin J.
Mancino M: *see* Kramer TL.
Mandel S: Comment on "Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program," 28(4): 492.
Mansfield AJ: *see* Lennox RD.
Marín H: *see* Alegría M.
Matías L: *see* Alegría M.
Mayes SD, Calhoun SL, Krecko VF, Vesell HP, Hu J: Outcome Following Child Psychiatric Hospitalization, 28(1): 96–103.
McCadam K: *see* McKay MM.
McCarty D, Argeriou M, Denmead G, Dilonardo J: Public Sector Managed Care for Substance Abuse Treatment: Opportunities for Health Services Research, 28(2): 143–154.
McCarty D, Weisner C, Huebner RB: Introduction: Applications of Health Services Research in the Treatment and Prevention of Alcohol Abuse, 28(2): 115–117.
McConnell W: *see* Chow JC-C.
McGuire T: *see* Alegría M.
McKay MM, Pennington J, Lynn CJ, McCadam K: Understanding Urban Child Mental Health Service Use: Two Studies of Child, Family, and Environmental Correlates, 28(4): 475–483.
McKeown RE: *see* Cuffe SP.
Megivern D: *see* Mowbray CT.
Miller B: *see* Levin BL.
Moloo J: *see* Cuffe SP.

Morschauser PC: *see* Cox JF.
Mowbray CT, Bellamy CD, Megivern D, Szilvagyi, S: Raising Our Sites: Dissemination of Supported Education, 28(4): 484–491.
Mullooly JP: *see* Polen MR.
Murata D: *see* Sullivan G.

N

Newman FL: *see* DeLiberty RN.

O

Orlando M: *see* Stein B.

P

Pandiani JA: *see* Banks SM.
Pennington J: *see* McKay MM.
Pescarino R: *see* Stiffman AR.
Podus D: *see* Watkins KE.
Polen MR, Green CA, Freeborn DK, Mullooly JP, Lynch F: Drinking Patterns, Health Care Utilization, and Costs among HMO Primary Care Patients, 28(4): 378–399.
Polgar M: *see* Stiffman AR.

R

Ringel JS, Sturm R: National Estimates of Mental Health Utilization and Expenditures for Children in 1998, 28(3): 319–333.
Rosenheck R, Frisman L, Essock S: Impact of VA Bed Closures on Use of State Psychiatric Services, 28(1): 58–66.
Rosenheck R: *see* Chen RS.
Roy-Bujnowski K: *see* Fisher WH.

S

Shaul JA: *see* Eisen SV.
Sherbourne CD: *see* Sturm R.
Simon LJ: *see* Fisher WH.
Smith GR: *see* Kramer TL.
Snowden LR: *see* Chow JC-C.
Stein B, Orlando M: ADHD Treatment in a Behavioral Health Care Carve-Out: Medications, Providers, and Service Utilization, 28(1): 30–41.
Stiffman A: *see* Johnson SD.
Stiffman AR, Striley C, Horvath VE, Hadley-Ives E, Polgar M, Elze D, Pescarino R: Organizational Context and Provider Perception as Determinants of Mental Health Service Use, 28(2): 188–204.
Stone JL: *see* Cox JF.
Striley C: *see* Stiffman AR.
Stringfellow V: *see* Eisen SV.
Sturm R: *see* Ringel JS.
Sturm R, Sherbourne CD: Are Barriers to Mental Health and Substance Abuse Care Still Rising?, 28(1): 81–88.
Sudders M: *see* Fisher WH.
Sullivan G: *see* Cradock J.
Sullivan G, Young AS, Fortney S, Tillipman D, Murata D, Koegel P: Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program, 28(2): 155–163.
Szilvagyi, S: *see* Mowbray CT.

T

Teague GB: *see* Hendryx MS.
Thornton D: *see* Dow MG.
Tillipman D: *see* Sullivan G.

V

Vera M: *see* Alegría M.
Vesell HP: *see* Mayes SD.

W

Waller JL: *see* Cuffe SP.
Ward EO: *see* DeLiberty RN.
Watkins KE, Podus D, Lombardi E: The Health and Mental Health of Disabled Substance Abusers, 28(2): 205-211.
Weisner C:
The Provision of Services for Alcohol Problems: A Community Perspective for Understanding Access, 28(2): 130–142.
see also McCarty D.
White AW: *see* Fisher WH.

Y

Young AS: *see* Cradock J; Sullivan G.
Young E: *see* Linhorst DM.

Subject Index

Volume 28

A

Access to care
- Are Barriers to Mental Health and Substance Abuse Care Still Rising?, Sturm R, Sherbourne CD, 28(1): 81–88.
- Does Managed Mental Health Care Reallocate Resources to Those with Greater Need for Services? Alegría M, McGuire T, Vera M, Canino G, Albizu C, Marín H, Matías L, 28(4): 439–455.
- Organizational Context and Provider Perception as Determinants of Mental Health Service Use, Stiffman AR, Striley C, Horvath VE, Hadley-Ives, E, Polgar M, Elze D, Pescarino R, 28(2): 188–204.
- The Provision of Services for Alcohol Problems: A Community Perspective for Understanding Access, Weisner C, 28(2): 130–142.
- Rural–Urban Differences in Service Use for Memory-Related Problems in Older Adults, Chumbler NR, Cody M, Booth BM, Beck CK, 28(2): 212–221.

Adults with psychiatric disabilities
- Raising Our Sites: Dissemination of Supported Education, Mowbray CT, Bellamy CD, Megivern D, Szilvagyi S, 28(4): 484–491.

Alcohol/substance use and abuse
- An Analysis of Stressors and Co-Morbid Mental Health Problems That Contribute to Youths' Paths to Substance-Specific Services, Johnson, SD, Stiffman A, Hadley-Ives E, Elze D, 28(4): 412–426.
- Are Barriers to Mental Health and Substance Abuse Care Still Rising? Sturm R, Sherbourne CD, 28(1): 81–88.
- Drinking Patterns, Health Care Utilization, and Costs among HMO Primary Care Patients, Polen MR, Green CA, Freeborn DK, Mullooly JP, Lynch F, 28(4): 378–399.
- The Health and Mental Health of Disabled Substance Abusers, Watkins KE, Podus D, Lombardi E, 28(2): 205–211.
- Introduction: Applications of Health Services Research in the Treatment and Prevention of Alcohol Abuse, McCarty D, Weisner C, Huebner RB, 28(2): 115–117.
- A Latent Variable Model of Evidence-Based Quality Improvement for Substance Abuse Treatment, Lennox RD, Mansfield AJ, 28(2): 164–176.
- The Long-Term Treatment Outcomes of Depression and Anxiety Comorbid with Substance Abuse, Bovasso G, 28(1): 42–57.
- Managed Care and Outpatient Substance Abuse Treatment Intensity, Lemak CH, Alexander JA, 28(1): 12–29.
- Prevention Research and Its Actual Application to Health Services, Holder HD, 28(2): 118–129.
- The Provision of Services for Alcohol Problems: A Community Perspective for Understanding Access, Weisner C, 28(2): 130–142.
- Public Sector Managed Care for Substance Abuse Treatment: Opportunities for Health Services Research, McCarty D, Argeriou M, Denmead G, Dilonardo J, 28(2): 143–154.

Anxiety
- The Long-Term Treatment Outcomes of Depression and Anxiety Comorbid with Substance Abuse, Bovasso G, 28(1): 42–57.

Attention-deficit hyperactivity disorder (ADHD)
- ADHD Treatment in a Behavioral Health Care Carve-Out: Medications, Providers, and Service Utilization, Stein B, Orlando M, 28(1): 30–41.

B

Behavioral and Symptom Identification Scale (BASIS-32)
- A Confirmatory Factor Analysis of the BASIS-32 in Racial and Ethnic Samples, Chow JC-C, Snowden LR, McConnell W, 28(4): 400–411.

Behavioral health contracting/carve outs
- ADHD Treatment in a Behavioral Health Care Carve-Out: Medications, Providers, and Service Utilization, Stein B, Orlando M, 28(1): 30–41.

C

Case-mix adjustment
- Comparing Outcomes of Routine Care for Depression: The Dilemma of Case-Mix Adjustment, Kramer TL, Evans RB, Landes R, Mancino M, Booth BM, Smith GR, 28(3): 287–300.

Children, youth, and families
- ADHD Treatment in a Behavioral Health Care Carve-Out: Medications, Providers, and Service Utilization, Stein B, Orlando M, 28(1): 30–41.
- An Analysis of Stressors and Co-Morbid Mental Health Problems That Contribute to Youths' Paths to Substance-Specific Services, Johnson SD, Stiffman A, Hadley-Ives E, Elze D, 28(4): 412–426.

A Longitudinal Study of Adolescent Mental Health Service Use, Cuffe SP, Waller JL, Addy CL, McKeown RE, Jackson KL, Moloo J, Garrison CZ, 28(1): 1–11.
The Mental Health Orientation of Juvenile Courts, Breda CS, 28(1): 89–95.
National Estimates of Mental Health Utilization and Expenditures for Children in 1998, Ringel JS, Sturm R, 28(3): 319–333.
Organizational Context and Provider Perception as Determinants of Mental Health Service Use, Stiffman AR, Striley C, Horvath VE, Hadley-Ives E, Polgar M, Elze D, Pescarino R, 28(2): 188–204.
Outcome following Child Psychiatric Hospitalization, Mayes SD, Calhoun SL, Krecko VF, Vesell HP, Hu J, 28(1): 96–103.
Understanding Urban Child Mental Health Service Use: Two Studies of Child, Family, and Environmental Correlates, McKay MM, Pennington J, Lynn CJ, McCadam K, 28(4): 475–483.

Community mental health

Comment on "Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program," Mandel S, 28(4): 492.
A Longitudinal Study of Adolescent Mental Health Service Use, Cuffe SP, Waller JL, Addy CL, McKeown RE, Jackson KL, Moloo J, Garrison CZ, 28(1): 1–11.
Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program, Sullivan G, Young AS, Fortney S, Tillipman D, Murata D, Koegel P, 28(2): 155–163.
The Provision of Services for Alcohol Problems: A Community Perspective for Understanding Access, Weisner C, 28(2): 130–142.
Public Sector Managed Care for Substance Abuse Treatment: Opportunities for Health Services Research, McCarty D, Argeriou M, Denmead G, Dilonardo J, 28(2): 143–154.
Rural-Urban Differences in Service Use for Memory-Related Problems in Older Adults, Chumbler NR, Cody M, Booth BM, Beck CK, 28(2): 212–221.

Complementary and alternative medicine

Are Barriers to Mental Health and Substance Abuse Care Still Rising? Sturm R, Sherbourne CD, 28(1): 81–88.

Consumer Assessment of Behavioral Health Survey (CABHS)

Toward a National Consumer Survey: Evaluation of the CABHS and MHSIP Instruments, Eisen SV, Shaul JA, Leff HS, Stringfellow V, Clarridge BR, Cleary PD, 28(3): 347–369.

Consumers

The Involvement of a Consumer Council in Organizational Decision Making in a Public Psychiatric Hospital, Linhorst DM, Eckert A, Hamilton G, Young E, 28(4): 427–438.
Toward a National Consumer Survey: Evaluation of the CABHS and MHSIP Instruments, Eisen SV, Shaul JA, Leff HS, Stringfellow V, Clarridge BR, Cleary PD, 28(3): 347–369.

Costs and funding

ADHD Treatment in a Behavioral Health Care Carve-Out: Medications, Providers, and Service Utilization, Stein B, Orlando M, 28(1): 30–41.
Comment on "Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program," Mandel S, 28(4): 492.
Drinking Patterns, Health Care Utilization, and Costs among HMO Primary Care Patients, Polen MR, Green CA, Freeborn DK, Mullooly JP, Lynch F, 28(4): 378–399.
Managed Care and Outpatient Substance Abuse Treatment Intensity, Lemak CH, Alexander JA, 28(1): 12–19.
Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program, Sullivan G, Young AS, Fortney S, Tillipman D, Murata D, Koegel P, 28(2): 155–163.
National Estimates of Mental Health Utilization and Expenditures for Children in 1998, Ringel JS, Sturm R, 28(3): 319–333.
Prevention Research and Its Actual Application to Health Services, Holder HD, 28(2): 118–129.

Criminal justice system

Approaches to Risk-Adjusting Outcome Measures Applied to Criminal Justice Involvement after Community Service, Banks SM, Pandiani JA, Bramley J, 28(3): 235–246.
A Five-Year Population Study of Persons Involved in the Mental Health and Local Correctional Systems: Implications for Service Planning, Cox JF, Morschauser PC, Banks S, Stone JL, 28(2): 177–187.
The Mental Health Orientation of Juvenile Courts, Breda CS, 28(1): 89–95.

Cultural issues

A Confirmatory Factor Analysis of the BASIS-32 in Racial and Ethnic Samples, Chow JC-C, Snowden LR, McConnell W, 28(4): 400–411.

D

Depression
Comparing Outcomes of Routine Care for Depression: The Dilemma of Case-Mix Adjustment, Kramer TL, Evans RB, Landes R, Mancino M, Booth BM, Smith GR, 28(3): 287–300.
The Long-Term Treatment Outcomes of Depression and Anxiety Comorbid with Substance Abuse, Bovasso G, 28(1): 42–57.
A Longitudinal Study of Adolescent Mental Health Service Use, Cuffe SP, Waller JL, Addy CL, McKeown RE, Jackson KL, Moloo J, Garrison CZ, 28(1): 1–11.
Using a Computerized Patient Database to Evaluate Guideline Adherence and Measure Patterns of Care for Major Depression, Chen RS, Rosenheck R, 28(4): 466–474.

Disability evaluation
The Health and Mental Health of Disabled Substance Abusers, Watkins KE, Podus D, Lombardi E, 28(2): 205–211.

Documentation
The Accuracy of Medical Record Documentation in Schizophrenia, Cradock J, Young AS, Sullivan G, 28(4): 456–465.
Using a Computerized Patient Database to Evaluate Guideline Adherence and Measure Patterns of Care for Major Depression, Chen RS, Rosenheck R, 28(4): 466–474.

E

Editorial
Appreciation to Reviewers, Levin BL, Miller B, 28(4): 375–377.

Environmental factors
An Analysis of Stressors and Co-Morbid Mental Health Problems That Contribute to Youths' Paths to Substance-Specific Services, Johnson SD, Stiffman A, Hadley-Ives E, Elze D, 28(4): 412–426.
Understanding Urban Child Mental Health Service Use: Two Studies of Child, Family, and Environmental Correlates, McKay MM, Pennington J, Lynn CJ, McCadam K, 28(4): 475–483.

Evidence-based medicine
A Latent Variable Model of Evidence-Based Quality Improvement for Substance Abuse Treatment, Lennox RD, Mansfield AJ, 28(2): 164–176.
Using a Computerized Patient Database to Evaluate Guideline Adherence and Measure Patterns of Care for Major Depression, Chen RS, Rosenheck R, 28(4): 466–474.

H

Health services research
A Five-Year Population Study of Persons Involved in the Mental Health and Local Correctional Systems: Implications for Service Planning, Cox JF, Morschauser PC, Banks S, Stone JL, 28(2): 177–187.
Introduction: Applications of Health Services Research in the Treatment and Prevention of Alcohol Abuse, McCarty D, Weisner C, Huebner RB, 28(2): 115–117.
Prevention Research and Its Actual Application to Health Services, Holder HD, 28(2): 118–129.
Public Sector Managed Care for Substance Abuse Treatment: Opportunities for Health Services Research, McCarty D, Argeriou M, Denmead G, Dilonardo J, 28(2): 143–154.

Hospital care
Impact of VA Bed Closures on Use of State Psychiatric Services, Rosenheck R, Frisman L, Essock S, 28(1): 58–66.
Insurance Status and Length of Stay for Involuntarily Hospitalized Patients, Fisher WH, Barreira PJ, Lincoln AK, Simon LJ, White AW, Roy-Bujnowski K, Sudders M, 28(3): 334–346.
The Involvement of a Consumer Council in Organizational Decision Making in a Public Psychiatric Hospital, Linhorst DM, Eckert A, Hamilton G, Young E, 28(4): 427–438.
Needs-Based Planning: Evaluation of a Level-of-Care Planning Model, Durbin J, Cochrane J, Goering P, Macfarlane D, 28(1): 67–80.
Outcome following Child Psychiatric Hospitalization, Mayes SD, Calhoun SL, Krecko VF, Vesell HP, Hu J, 28(1): 96–103.

L

Letter to the editor
Comment on "Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program," Mandel S, 28(4): 492.

Level of care
Needs-Based Planning: Evaluation of a Level-of-Care Planning Model, Durbin J, Cochrane J, Goering P, Macfarlane D, 28(1): 67–80.

Level of need
Does Managed Mental Health Care Reallocate Resources to Those with Greater Need for Services? Alegría M, McGuire T, Vera M, Canino G, Albizu C, Marín H, Matías L, 28(4): 439–455.

M

Managed care
"Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program," 28(4): 492.
Does Managed Mental Health Care Reallocate Resources to Those with Greater Need for Services? Alegría M, McGuire T, Vera M, Canino G, Albizu C, Marín H, Matías L, 28(4): 439–455.
Drinking Patterns, Health Care Utilization, and Costs among HMO Primary Care Patients, Polen MR, Green CA, Freeborn DK, Mullooly JP, Lynch F, 28(4): 378–399.
Insurance Status and Length of Stay for Involuntarily Hospitalized Patients, Fisher WH, Barreira PJ, Lincoln AK, Simon LJ, White AW, Roy-Bujnowski K, Sudders M, 28(3): 334–346.
Managed Care and Outpatient Substance Abuse Treatment Intensity, Lemak CH, Alexander JA, 28(1): 12–29.
Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program, Sullivan G, Young AS, Fortney S, Tillipman D, Murata D, Koegel P, 28(2): 155–163.
Public Sector Managed Care for Substance Abuse Treatment: Opportunities for Health Services Research, McCarty D, Argeriou M, Denmead G, Dilonardo J, 28(2): 143–154.
Medical records
The Accuracy of Medical Record Documentation in Schizophrenia, Cradock J, Young AS, Sullivan G, 28(4): 456–465.
Memory impairment
Rural–Urban Differences in Service Use for Memory-Related Problems in Older Adults, Chumbler NR, Cody M, Booth BM, Beck CK, 28(2): 212–221.
Mental health care providers
Organizational Context and Provider Perception as Determinants of Mental Health Service Use, Stiffman AR, Striley C, Horvath VE, Hadley-Ives E, Polgar M, Elze D, Pescarino R, 28(2): 188–204.
Risk Adjustment in the Hoosier Assurance Plan: Impact on Providers, DeLiberty RN, Newman FL, Ward EO, 28(3): 301–318.
Mental Health Statistics Improvement Program (MHSIP)
Toward a National Consumer Survey: Evaluation of the CABHS and MHSIP Instruments, Eisen SV, Shaul JA, Leff HS, Stringfellow V, Clarridge BR, Cleary PD, 28(3): 347–369.

O

Older adults
Rural–Urban Differences in Service Use for Memory-Related Problems in Older Adults, Chumbler NR, Cody M, Booth BM, Beck CK, 28(2): 212–221.
Outcome
Approaches to Risk-Adjusting Outcome Measures Applied to Criminal Justice Involvement after Community Service, Banks SM, Pandiani JA, Bramley J, 28(3): 235–246.
Comparing Alternative Risk-Adjustment Methods, Hendryx MS, Teague GB, 28(3): 247–257.
Comparing Outcomes of Routine Care for Depression: The Dilemma of Case-Mix Adjustment, Kramer TL, Evans RB, Landes R, Mancino M, Booth BM, Smith GR, 28(3): 287–300.
A Confirmatory Factor Analysis of the BASIS-32 in Racial and Ethnic Samples, Chow JC-C, Snowden LR, McConnell W, 28(4): 400–411.
Introduction: Risk-Adjustment Issues in Mental Health Services, Hendryx MS, Beigel A, Doucette A, 28(3): 225–234.
The Long-Term Treatment Outcomes of Depression and Anxiety Comorbid with Substance Abuse, Bovasso G, 28(1): 42–57.
Outcome following Child Psychiatric Hospitalization, Mayes SD, Calhoun SL, Krecko VF, Vesell HP, Hu J, 28(1): 96–103.
Outcomes
Measuring Mental Health Outcomes with Pre-Post Designs, Lambert EW, Doucette A, Bickman L, 28(3): 273–286.
Risk Adjustment in the Hoosier Assurance Plan: Impact on Providers, DeLiberty RN, Newman FL, Ward EO, 28(3): 301–318.
Risk Adjustment of Florida Mental Health Outcomes Data: Concepts, Methods, and Results, Dow MG, Boaz TL, Thornton D, 28(3): 258–272.

P

Pharmacotherapy

ADHD Treatment in a Behavioral Health Care Carve-Out: Medications, Providers, and Service Utilization, Stein B, Orlando M, 28(1): 30–41.

Planning

A Five-Year Population Study of Persons Involved in the Mental Health and Local Correctional Systems: Implications for Service Planning, Cox JF, Morschauser PC, Banks S, Stone JL, 28(2): 177–187.

Needs-Based Planning: Evaluation of a Level-of-Care Planning Model, Durbin J, Cochrane J, Goering P, Macfarlane D, 28(1): 67–80.

Needs-Based Planning for Persons with Serious Mental Illness Residing in Intermediate Care Facilities, Anderson RL, Lyons JS, 28(1): 104–110.

Practice guidelines

Using a Computerized Patient Database to Evaluate Guideline Adherence and Measure Patterns of Care for Major Depression, Chen RS, Rosenheck R, 28(4): 466–474.

Prevention

Introduction: Applications of Health Services Research in the Treatment and Prevention of Alcohol Abuse, McCarty D, Weisner C, Huebner RB, 28(2): 115–117.

Prevention Research and Its Actual Application to Health Services, Holder HD, 28(2): 118–129.

Public health

Comment on "Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program," Mandel S, 28(4): 492.

The Involvement of a Consumer Council in Organizational Decision Making in a Public Psychiatric Hospital, Linhorst DM, Eckert A, Hamilton G, Young E, 28(4): 427–438.

Managed Care in the Public Sector: Lessons Learned from the Los Angeles PARTNERS Program, Sullivan G, Young AS, Fortney S, Tillipman D, Murata D, Koegel P, 28(2): 155–163.

The Provision of Services for Alcohol Problems: A Community Perspective for Understanding Access, Weisner C, 28(2): 130–142.

Public Sector Managed Care for Substance Abuse Treatment: Opportunities for Health Services Research, McCarty D, Argeriou M, Denmead G, Dilonardo J, 28(2): 143–154.

Q

Quality of care

The Accuracy of Medical Record Documentation in Schizophrenia, Cradock J, Young AS, Sullivan G, 28(4): 456–465.

A Confirmatory Factor Analysis of the BASIS-32 in Racial and Ethnic Samples, Chow JC-C, Snowden LR, McConnell W, 28(4): 400–411.

A Latent Variable Model of Evidence-Based Quality Improvement for Substance Abuse Treatment, Lennox RD, Mansfield AJ, 28(2): 164–176.

Toward a National Consumer Survey: Evaluation of the CABHS and MHSIP Instruments, Eisen SV, Shaul JA, Leff HS, Stringfellow V, Clarridge BR, Cleary PD, 28(3): 347–369.

Using a Computerized Patient Database to Evaluate Guideline Adherence and Measure Patterns of Care for Major Depression, Chen RS, Rosenheck R, 28(4): 466–474.

R

Rehabilitation technology

Raising Our Sites: Dissemination of Supported Education, Mowbray CT, Bellamy CD, Megivern D, Szilvagyi S, 28(4): 484–491.

Reimbursement

Insurance Status and Length of Stay for Involuntarily Hospitalized Patients, Fisher WH, Barreira PJ, Lincoln AK, Simon LJ, White AW, Roy-Bujnowski K, Sudders M, 28(3): 334–346.

Managed Care and Outpatient Substance Abuse Treatment Intensity, Lemak CH, Alexander JA, 28(1): 12–29.

Residential care

Needs-Based Planning for Persons with Serious Mental Illness Residing in Intermediate Care Facilities, Anderson RL, Lyons JS, 28(1): 104–110.

Resource allocation

Does Managed Mental Health Care Reallocate Resources to Those with Greater Need for Services? Alegría M, McGuire T, Vera M, Canino G, Albizu C, Marín H, Matías L, 28(4): 439–455.

Risk adjustment

Approaches to Risk-Adjusting Outcome Measures Applied to Criminal Justice Involvement after Community Service, Banks SM, Pandiani JA, Bramley J, 28(3): 235–246.

Comparing Alternative Risk-Adjustment Methods, Hendryx MS, Teague GB, 28(3): 247–257.

Comparing Outcomes of Routine Care for Depression: The Dilemma of Case-Mix Adjustment, Kramer TL, Evans RB, Landes R, Mancino M, Booth BM, Smith GR, 28(3): 287–300.
Insurance Status and Length of Stay for Involuntarily Hospitalized Patients, Fisher WH, Barreira PJ, Lincoln AK, Simon LJ, White AW, Roy-Bujnowski K, Sudders M, 28(3): 334–346.
Introduction: Risk-Adjustment Issues in Mental Health Services, Hendryx MS, Beigel A, Doucette A, 28(3): 225–234.
Measuring Mental Health Outcomes with Pre-Post Designs, Lambert EW, Doucette A, Bickman L, 28(3): 273–286.
Risk Adjustment in the Hoosier Assurance Plan: Impact on Providers, DeLiberty RN, Newman FL, Ward EO, 28(3): 301–318.
Risk Adjustment of Florida Mental Health Outcomes Data: Concepts, Methods, and Results, Dow MG, Boaz TL, Thornton D, 28(3): 258–272.

Rural health care

Rural-Urban Differences in Service Use for Memory-Related Problems in Older Adults, Chumbler NR, Cody M, Booth BM, Beck CK, 28(2): 212–221.

S

Schizophrenia

The Accuracy of Medical Record Documentation in Schizophrenia, Cradock J, Young AS, Sullivan G, 28(4): 456–465.
Needs-Based Planning for Persons with Serious Mental Illness Residing in Intermediate Care Facilities, Anderson RL, Lyons JS, 28(1): 104–110.

Service provision/delivery

Are Barriers to Mental Health and Substance Abuse Care Still Rising? Sturm R, Sherbourne CD, 28(1): 81–88.
Impact of VA Bed Closures on Use of State Psychiatric Services, Rosenheck R, Frisman L, Essock S, 28(1): 58–66.
Introduction: Risk-Adjustment Issues in Mental Health Services, Hendryx MS, Beigel A, Doucette A, 28(3): 225–234.
The Involvement of a Consumer Council in Organizational Decision Making in a Public Psychiatric Hospital, Linhorst DM, Eckert A, Hamilton G, Young E, 28(4): 427–438.
Organizational Context and Provider Perception as Determinants of Mental Health Service Use, Stiffman AR, Striley C, Horvath VE, Hadley-Ives E, Polgar M, Elze D, Pescarino R, 28(2): 188–204.
The Provision of Services for Alcohol Problems: A Community Perspective for Understanding Access, Weisner C, 28(2): 130–142.

Statistical evaluation

Approaches to Risk-Adjusting Outcome Measures Applied to Criminal Justice Involvement after Community Service, Banks SM, Pandiani JA, Bramley J, 28(3): 235–246.
Comparing Alternative Risk-Adjustment Methods, Hendryx MS, Teague GB, 28(3): 247–257.
Comparing Outcomes of Routine Care for Depression: The Dilemma of Case-Mix Adjustment, Kramer TL, Evans RB, Landes R, Mancino M, Booth BM, Smith GR, 28(3): 287–300.
A Confirmatory Factor Analysis of the BASIS-32 in Racial and Ethnic Samples, Chow JC-C, Snowden LR, McConnell W, 28(4): 400–411.
Introduction: Risk-Adjustment Issues in Mental Health Services, Hendryx MS, Beigel A, Doucette A, 28(3): 225–234.
Measuring Mental Health Outcomes with Pre-Post Designs, Lambert EW, Doucette A, Bickman L, 28(3): 273–286.
Risk Adjustment in the Hoosier Assurance Plan: Impact on Providers, DeLiberty RN, Newman FL, Ward EO, 28(3): 301–318.
Risk Adjustment of Florida Mental Health Outcomes Data: Concepts, Methods, and Results, Dow MG, Boaz TL, Thornton D, 28(3): 258–272.
Toward a National Consumer Survey: Evaluation of the CABHS and MHSIP Instruments, Eisen SV, Shaul JA, Leff HS, Stringfellow V, Clarridge BR, Cleary PD, 28(3): 347–369.

Supplemental Security Income

The Health and Mental Health of Disabled Substance Abusers, Watkins KE, Podus D, Lombardi E, 28(2): 205–211.

Supported education

Raising Our Sites: Dissemination of Supported Education, Mowbray CT, Bellamy CD, Megivern D, Szilvagyi S, 28(4): 484–491.

U

Urban health care

Rural–Urban Differences in Service Use for Memory-Related Problems in Older Adults, Chumbler NR, Cody M, Booth BM, Beck CK, 28(2): 212–221.

Understanding Urban Child Mental Health Service Use: Two Studies of Child, Family, and Environmental Correlates, McKay MM, Pennington J, Lynn CJ, McCadam K, 28(4): 475–483.

Utilization of mental health services

ADHD Treatment in a Behavioral Health Care Carve-Out: Medications, Providers, and Service Utilization, Stein B, Orlando M, 28(1): 30–41.

Drinking Patterns, Health Care Utilization, and Costs among HMO Primary Care Patients, Polen MR, Green CA, Freeborn DK, Mullooly JP, Lynch F, 28(4): 378–399.

Impact of VA Bed Closures on Use of State Psychiatric Services, Rosenheck R, Frisman L, Essock S, 28(1): 58–66.

A Longitudinal Study of Adolescent Mental Health Service Use, Cuffe SP, Waller JL, Addy CL, McKeown RE, Jackson KL, Moloo J, Garrison CZ, 28(1): 1–11.

National Estimates of Mental Health Utilization and Expenditures for Children in 1998, Ringel JS, Sturm R, 28(3): 319–333.

Needs-Based Planning for Persons with Serious Mental Illness Residing in Intermediate Care Facilities, Anderson RL, Lyons JS, 28(1): 104–110.

Organizational Context and Provider Perception as Determinants of Mental Health Service Use, Stiffman AR, Striley C, Horvath VE, Hadley-Ives E, Polgar M, Elze D, Pescarino R, 28(2): 188–204.

Rural–Urban Differences in Service Use for Memory-Related Problems in Older Adults, Chumbler NR, Cody M, Booth BM, Beck CK, 28(2): 212–221.

Understanding Urban Child Mental Health Service Use: Two Studies of Child, Family, and Environmental Correlates, McKay MM, Pennington J, Lynn CJ, McCadam K, 28(4): 475–483.